

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | | |
|------------|---|----------------------------------|---|--------------|
| Applicant | : | Harold B. Dreyer |) | Examiner: |
| | | |) | Tara L. Mayo |
| Serial No. | : | 10/814,372 |) | |
| | | |) | Art Unit: |
| Cnfrm. No. | : | 5490 |) | 3671 |
| | | |) | |
| Filed | : | March 31, 2004 |) | |
| | | |) | |
| For | : | BOOM SYSTEM FOR WATER FILTRATION |) | |
| | | IN SHALLOW WATER |) | |
| | | |) | |

NOTICE OF APPEAL AND PETITION FOR THREE-MONTH EXTENSION

Mail Stop: **AF**
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants hereby appeal to the Board of Patent Appeals and Interferences from the Primary Examiner's decision dated October 4, 2007, finally rejecting claims 1 and 5-20.

Applicants hereby request an extension of time of three months from the due date of January 4, 2008.

Please charge the \$255.00 appeal fee and the \$525.00 extension of time fee to Deposit Account No. 14-1138. Any additional fees or any overpayment can be charged/credited to Deposit Account No. 14-1138.

Respectfully submitted,

Date: March 28, 2008

/Edwin V. Merkel/
Edwin V. Merkel
Registration No. 40,087

NIXON PEABODY LLP
1100 Clinton Square
Rochester, New York 14604
Telephone: (585) 263-1128
Facsimile: (585) 263-1600